

Bibliografía

- Boichard D., Grohs C., Bourgeois F., Cerqueira F., Faugeras R., Neau A., Rupp R., Amigues Y., Boscher M.Y. & Leveziel H. (2003) Detection of genes influencing economic traits in three French dairy cattle breeds. *Genet Sel Evol* 35, 77-101.
- Corella D., Qi L., Sorli J.V., Godoy D., Portoles O., Coltell O., Greenberg A.S. & Ordovas J.M. (2005) Obese subjects carrying the 11482G>A polymorphism at the perilipin locus are resistant to weight loss after dietary energy restriction. *J Clin Endocrinol Metab* 90, 5121-6.
- Dempfle A., Hinney A., Heinzl-Gutenbrunner M., Raab M., Geller F., Gudermann T., Schafer H. & Hebebrand J. (2004) Large quantitative effect of melanocortin-4 receptor gene mutations on body mass index. *J Med Genet* 41, 795-800.
- García-Fernández M., Gutiérrez-Gil B., García-Gamez E. & Arranz J.J. (2009) Genetic variability of the Stearoyl-CoA desaturase gene in sheep. *Mol Cell Probes* 23, 107-11.
- Morris C.A., Cullen N.G., Glass B.C., Hyndman D.L., Manley T.R., Hickey S.M., McEwan J.C., Pitchford W.S., Bottema C.D. & Lee M.A. (2007) Fatty acid synthase effects on bovine adipose fat and milk fat. *Mamm Genome* 18, 64-74.
- Valle E., Habermann F.A., Moore S.S., Crews D.H. & Benkel B.F. (2004) Genomic localization and SNP discovery in the bovine melanocortin receptor 4 gene (MC4R). *Anim Genet* 35, 351-2.
- Yan W., Chen S., Huang J., Shen Y., Qiang B. & Gu D. (2004) Polymorphisms in PLIN and hypertension combined with obesity and lipid profiles in Han Chinese. *Obes Res* 12, 1733-7.
- Zhang C.L., Wang Y.H., Chen H., Lan X.Y., Lei C.Z. & Fang X.T. (2009) Association between variants in the 5'-untranslated region of the bovine MC4R gene and two growth traits in Nanyang cattle. *Mol Biol Rep* 36, 1839-43.